

		<u> </u>		
_	0	"4656398" and pool	USPAT; US-PGPUB;	2003/08/11 02:59
į			EPO; JPO;	02.55
	İ		DERWENT;	
			IBM_TDB	
-	4373	pool and LED\$1	USPAT;	2003/08/11
			US-PGPUB; EPO; JPO;	03:09
			DERWENT;	
			IBM TDB	
-	80	(pool and LED\$1) and @ad<=19970826	USPAT;	2003/08/11
			US-PGPUB;	03:10
			EPO; JPO;	
			DERWENT; IBM TDB	
-	7959	pool and (LED\$1 or light near1 emitting	USPAT;	2003/08/11
		nearl diode\$1)	US-PGPUB;	03:10
			EPO; JPO;	
	1		DERWENT;	
	000	mool and /light moon! amitting over 1	IBM_TDB	2002/00/11
-	923	pool and (light nearl emitting nearl   diode\$1)	USPAT; US-PGPUB;	2003/08/11
		4104691)	EPO; JPO;	03.10
			DERWENT;	
			IBM_TDB	
-	3	\F = \	USPAT;	2003/08/11
		diode\$1)) and @ad<=19970826	US-PGPUB;	03:24
			EPO; JPO; DERWENT;	
			IBM TDB	
-	793	(LED\$1 or light near1 emitting near1	USPAT;	2003/08/11
		diode\$1) same (interface or user) and	US-PGPUB;	03:37
		pool	EPO; JPO;	
	[		DERWENT;	
_	291	   ((LED\$1 or light near1 emitting near1	IBM_TDB USPAT;	2003/08/11
	291	diode\$1) same (interface or user) and	US-PGPUB;	03:37
		pool) and @ad<=19970826	EPO; JPO;	
	İ		DERWENT;	
	_		IBM_TDB	
_	5	(((LED\$1 or light near1 emitting near1	USPAT;	2003/08/11 03:36
		diode\$1) same (interface or user) and pool) and @ad<=19970826) and swim\$6	US-PGPUB; EPO; JPO;	03:30
		poor, and cad 155,0020, and Swingo	DERWENT;	
			IBM_TDB	
-	5	, , , ,	USPAT;	2003/08/11
		diode\$1) same (interface or user) and	US-PGPUB;	03:36
		pool) and @ad<=19970826) and (swim\$6 or spa)	EPO; JPO; DERWENT;	
		Jpu/	IBM TDB	
-	184	(light near1 emitting near1 diode\$1) same	USPAT;	2003/08/11
		(interface or user) and pool	US-PGPUB;	07:40
			EPO; JPO;	
	[		DERWENT; IBM TDB	
_	o	((light nearl emitting nearl diode\$1)	USPAT;	2003/08/11
		same (interface or user) and pool) and	US-PGPUB;	03:38
		@ad<=19970826	EPO; JPO;	
			DERWENT;	
l _	20	/light noon1 omitting noon1 31-3-61\	IBM_TDB	2002/00/11
-	20	(light near1 emitting near1 diode\$1) same (interface or user) and spa	USPAT; US-PGPUB;	2003/08/11
		i i i i i i i i i i i i i i i i i i i	EPO; JPO;	33.37
			DERWENT;	
			IBM_TDB	
-	15	((light near1 emitting near1 diode\$1)	USPAT;	2003/08/11
1		same (interface or user) and spa) and @ad<=19970826	US-PGPUB; EPO; JPO;	07:38
		Gau\-13310020	DERWENT;	
			IBM TDB	
	·			

L Number	Hits	Search Text	DB	Time stamp
1	1765	315/291.ccls.	USPAT; US-PGPUB;	2003/08/11 07:39
2	136	315/292.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/11 07:39
3	37	315/300.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/11 07:39
4	199	315/316.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/11 07:39
5	292	315/312.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/11 07:39
6	86	315/314.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/11 07:39
7	1728	315/209r.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/11 07:40
8	1101	315/dig.5.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/11 07:40
9	1	315/291.ccls. and (light near1 emitting near1 diode\$1) same (interface or user) and pool	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/11
10	0	315/292.ccls. and (light near1 emitting near1 diode\$1) same (interface or user) and pool	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/11
11	0	315/300.ccls. and (light near1 emitting near1 diode\$1) same (interface or user) and pool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/11 07:40
12	0	315/316.ccls. and (light near1 emitting near1 diode\$1) same (interface or user) and pool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/11 07:40
13	1	315/312.ccls. and (light near1 emitting near1 diode\$1) same (interface or user) and pool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/11 07:41

Page 1

				2222/22
14	0	315/314.ccls. and (light near1 emitting near1 diode\$1) same (interface or user) and pool	USPAT; US-PGPUB; EPO; JPO;	2003/08/11 07:41
		and poor	DERWENT; IBM TDB	
15	0	315/209r.ccls. and (light near1 emitting near1 diode\$1) same (interface or user)	USPĀT; US-PGPUB;	2003/08/11 07:41
		and pool	EPO; JPO; DERWENT;	
16	0	315/dig.5.ccls. and (light near1 emitting near1 diode\$1) same (interface	IBM_TDB USPAT; US-PGPUB;	2003/08/11 07:41
		or user) and pool	EPO; JPO; DERWENT;	
17	1	( 315/291.ccls. and (light near1 emitting near1 diode\$1) same (interface	IBM_TDB USPAT; US-PGPUB;	2003/08/11 07:41
		or user) and pool) and (light nearl emitting nearl diode\$1) same (interface	EPO; JPO; DERWENT;	
-	13	or user) and pool (socket same pool and LED\$1) and @ad<=19981216	IBM_TDB USPAT; US-PGPUB;	2003/08/11 02:10
		- Cua ( 13301210	EPO; JPO; DERWENT;	32.23
-	234	(socket or light) same pool and LED\$1 same (interfac\$3 or us\$3)	IBM_TDB USPAT; US-PGPUB;	2003/08/11
		Same (Interracys of dsys)	EPO; JPO; DERWENT;	02.30
_	136	((socket or light) same pool and LED\$1 same (interfac\$3 or us\$3)) and	IBM_TDB USPAT; US-PGPUB;	2003/08/11 01:52
		@ad<=19981216	EPO; JPO; DERWENT;	01.32
-	582	LED\$1 same pool	IBM_TDB USPAT; US-PGPUB;	2003/08/11
		N	EPO; JPO; DERWENT;	
-	31	(LED\$1 same pool) and @ad<=19981216	IBM_TDB USPAT; US-PGPUB;	2003/08/11
			EPO; JPO; DERWENT;	,
-	5	"6030108"	IBM_TDB USPAT; US-PGPUB;	2003/08/11
			EPO; JPO; DERWENT;	
_	1	"6030108" and LED	IBM_TDB USPAT; US-PGPUB;	2003/08/11
	* +		EPO; JPO; DERWENT;	
_	20	LED\$1 same interfac\$3 and pool near10 (light or source)	IBM_TDB USPAT; US-PGPUB;	2003/08/11
		,,	EPO; JPO; DERWENT;	
-	9	(LED\$1 same interfac\$3 and pool near10 (light or source)) and @ad<=19981216	IBM_TDB USPAT; US-PGPUB;	2003/08/11
		, <u> </u>	EPO; JPO; DERWENT;	
_	18	socket same pool and LED\$1	IBM_TDB USPAT; US-PGPUB;	2003/08/11
			EPO; JPO; DERWENT;	
	L		IBM_TDB	l

Search History 8/11/03 7:41:50 AM Page 2

Γ	4050	Land James (12 alex see all alex	TICDAM.	2002/00/11
-	4056	pool same (light or socket)	USPAT; US-PGPUB;	2003/08/11 02:09
			EPO; JPO;	02:09
			DERWENT;	
			IBM TDB	
l -	2898	(pool same (light or socket)) and	USPAT;	2003/08/11
		@ad<=19981216	US-PGPUB;	02:30
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	266	((pool same (light or socket)) and	USPAT;	2003/08/11
	1	@ad<=19981216) and LED\$1	US-PGPUB;	02:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	49242	(bayonet or pin\$1 or halogen or wedge)	USPAT;	2003/08/11
		same socket	US-PGPUB;	02:14
			EPO; JPO;	
			DERWENT;	
		1111	IBM_TDB	0000/00/11
-	7	( ( \P (	USPAT;	2003/08/11
		@ad<=19981216) and LED\$1) and ((bayonet	US-PGPUB;	02:12
		or pin\$1 or halogen or wedge) same	EPO; JPO; DERWENT;	
		SUCKEC)	IBM TDB	
_	69	(bayonet or pin\$1 or halogen or wedge)	USPAT;	2003/08/11
	1	and (((pool same (light or socket)) and	US-PGPUB;	02:17
	İ	dad<=19981216) and LED\$1)	EPO; JPO;	V2.11
	1	Gaux=15501210/ and HBDV1/	DERWENT;	
			IBM TDB	
_	2604	swimming near2 pool and (light or socket)	USPAT;	2003/08/11
			US-PGPUB;	02:17
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
-	186	(swimming near2 pool and (light or	USPAT;	2003/08/11
		socket)) and @ad<=19981216	US-PGPUB;	02:26
			EPO; JPO;	
:	[		DERWENT;	
	_		IBM_TDB	
-	0	smith near10 majorie.inv	USPAT;	2003/08/11
			US-PGPUB;	02:28
İ			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	2002/08/11
-	"	smith near10 majorie.in.	USPAT; US-PGPUB;	2003/08/11 02:28
			EPO; JPO;	02.20
1			DERWENT;	
	[		IBM TDB	
_	0	smith near10 marjorie.in.	USPAT;	2003/08/11
			US-PGPUB;	02:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0.1
-	0	smith with marjorie.in.	USPAT;	2003/08/11
			US-PGPUB;	02:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	marjorie with smith.in.	USPAT;	2003/08/11
			US-PGPUB;	02:29
			EPO; JPO;	
ŀ			DERWENT;	
	300	manterials smith in	IBM_TDB	2002/00/11
_	322	mark with smith.in.	USPAT;	2003/08/11
			US-PGPUB;	02:29
			EPO; JPO; DERWENT;	
			IBM TDB	
	L		TDE TDD	L

				I =
-	322	mark near2 smith.in.	USPAT;	2003/08/11
			US-PGPUB;	02:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/20/11
-	18	(mark near2 smith.in.) and pool	USPAT;	2003/08/11
			US-PGPUB;	02:30
			EPO; JPO;	
	]		DERWENT;	
		//	IBM_TDB	2002/00/11
-	0	((mark near2 smith.in.) and pool) and @ad<=19981216	USPAT;	2003/08/11
		ead<=19961216	US-PGPUB;	02:30
			EPO; JPO; DERWENT;	
			IBM TDB	
_	ا ا	(mark near2 smith.in.) and @ad<=19981216	USPAT;	2003/08/11
		mark hears shirth.in., and gaav-15501210	US-PGPUB;	02:31
			EPO; JPO;	02.31
			DERWENT;	
			IBM TDB	
_	o	"5924486" and @ad<=19981216	USPAT;	2003/08/11
			US-PGPUB;	02:34
	]		EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	17	"5924486"	USPĀT;	2003/08/11
1			US-PGPUB;	02:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	"5815086"	USPAT;	2003/08/11
			US-PGPUB;	02:32
1			EPO; JPO;	
			DERWENT;	
1_	1	"5815086" and @ad<=19981216	IBM_TDB USPAT;	2003/08/11
-	1	3013000 and @ad<-19901210	US-PGPUB;	02:33
			EPO; JPO;	02.33
			DERWENT;	
			IBM TDB	
_	7959	pool and (LED\$1 or (light near1 emitting	USPĀT;	2003/08/11
		near diode\$1))	US-PGPUB;	02:34
		. , ,	EPO; JPO;	İ
			DERWENT;	
			IBM_TDB	
-	66	(pool and (LED\$1 or (light near1 emitting		2003/08/11
		near diode\$1)) ) and @ad<=19981216	US-PGPUB;	02:34
			EPO; JPO;	
			DERWENT;	
		(max 2 mm 4 (T PD 4 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	IBM_TDB	2002/00/11
-	66	(pool and (LED\$1 or (light near1 emitting	USPAT;	2003/08/11
		near diode\$1)) ) and @ad<=19970826	US-PGPUB;	03:25
			EPO; JPO;	
		· · ·	DERWENT; IBM TDB	
1_	5	"6030108"	USPAT;	2003/08/11
	]	0030100	US-PGPUB;	02:47
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	"6030108" and LED	USPAT;	2003/08/11
			US-PGPUB;	02:58
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	13	"4656398"	USPAT;	2003/08/11
			US-PGPUB;	02:58
			EPO; JPO;	
.			DERWENT;	
L			IBM_TDB	L